



# OZARK TESTING

A Division of Anderson & Associates Consulting Engineers, L.L.C.  
1511 Watts Dr. P.O. Box 806 Rolla, MO 65402-0806  
(573)364-3301 Fax: (573)341-2040

## CERTIFICATE OF ANALYSIS

August 3, 2021

**Report for:**

OTWL 468  
Indian Hills Owners Association  
Attn: Joe Mischik  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Lake Water Sample from Swimming  
Beach at the Rope Boundary 20ft out

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter - Ozark Testing

**Sample date:**

August 2, 2021 @ 9:52 AM

**Delivered to Laboratory:**

August 2, 2021 @ 11:10 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	2.0	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/02/2021 – 08/03/2021	JKP/RLC/ AMH

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



# OZARK TESTING

A Division of Anderson & Associates Consulting Engineers, L.L.C.  
1511 Watts Dr. P.O. Box 806 Rolla, MO 65402-0806  
(573)364-3301 Fax: (573)341-2040

## CERTIFICATE OF ANALYSIS

August 3, 2021

**Report for:**

OTWL 468  
Indian Hills Owners Association  
Attn: Joe Mischik  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Lake Water Sample from Boat Beach  
Corner by Peninsula 20-30ft out

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter - Ozark Testing

**Sample date:**

August 2, 2021 @ 9:51 AM

**Delivered to Laboratory:**

August 2, 2021 @ 11:10 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	4.1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/02/2021 – 08/03/2021	JKP/RLC/ AMH

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



# OZARK TESTING

A Division of Anderson & Associates Consulting Engineers, L.L.C.  
1511 Watts Dr. P.O. Box 806 Rolla, MO 65402-0806  
(573)364-3301 Fax: (573)341-2040

## CERTIFICATE OF ANALYSIS

August 3, 2021

**Report for:**

OTWL 468  
Indian Hills Owners Association  
Attn: Joe Mischik  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Cove 9 – sample from boat BY HOUSE

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter - Ozark Testing

**Sample date:**

August 2, 2021 @ 9:45 AM

**Delivered to Laboratory:**

August 2, 2021 @ 11:10 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	2.0	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/02/2021 – 08/03/2021	JKP/RLC/ AMH

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature

  
\_\_\_\_\_

# OZARK TESTING

A Division of Anderson & Associates Consulting Engineers, L.L.C.  
1511 Watts Dr. P.O. Box 806 Rolla, MO 65402-0806  
(573)364-3301 Fax: (573)341-2040

## CERTIFICATE OF ANALYSIS

August 3, 2021

**Report for:**

OTWL 468  
Indian Hills Owners Association  
Attn: Joe Mischik  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Cove 7 – Sample from boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter - Ozark Testing

**Sample date:**

August 2, 2021 @ 9:43 AM

**Delivered to Laboratory:**

August 2, 2021 @ 11:10 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	<1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/02/2021 – 08/03/2021	JKP/RLC/ AMH

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



# OZARK TESTING

A Division of Anderson & Associates Consulting Engineers, L.L.C.  
1511 Watts Dr. P.O. Box 806 Rolla, MO 65402-0806  
(573)364-3301 Fax: (573)341-2040

## CERTIFICATE OF ANALYSIS

August 3, 2021

**Report for:**

OTWL 468  
Indian Hills Owners Association  
Attn: Joe Mischik  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Star Dock by buoy – by boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter - Ozark Testing

**Sample date:**

August 2, 2021 @ 10:08 AM

**Delivered to Laboratory:**

August 2, 2021 @ 11:10 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	<1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/02/2021 – 08/03/2021	JKP/RLC/ AMH

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature

  
\_\_\_\_\_

# OZARK TESTING

A Division of Anderson & Associates Consulting Engineers, L.L.C.  
1511 Watts Dr. P.O. Box 806 Rolla, MO 65402-0806  
(573)364-3301 Fax: (573)341-2040

## CERTIFICATE OF ANALYSIS

August 3, 2021

**Report for:**

OTWL 468  
Indian Hills Owners Association  
Attn: Joe Mischik  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Spillway-- by boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter - Ozark Testing

**Sample date:**

August 2, 2021 @ 10:04 AM

**Delivered to Laboratory:**

August 2, 2021 @ 11:10 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	<1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/02/2021 – 08/03/2021	JKP/RLC/ AMH

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature

  
\_\_\_\_\_

# OZARK TESTING

A Division of Anderson & Associates Consulting Engineers, L.L.C.  
1511 Watts Dr. P.O. Box 806 Rolla, MO 65402-0806  
(573)364-3301 Fax: (573)341-2040

## CERTIFICATE OF ANALYSIS

August 3, 2021

**Report for:** OTWL 468  
Indian Hills Owners Association  
Attn: Joe Mischik  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:** Cove 1 out by buoys – by boat

**Parameters requested:** *E. Coli*

**Sample collected by:** Rachel Carter - Ozark Testing

**Sample date:** August 2, 2021 @ 10:01 AM

**Delivered to Laboratory:** August 2, 2021 @ 11:10 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	2.0	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/02/2021 – 08/03/2021	JKP/RLC/ AMH

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature

  
\_\_\_\_\_