

# WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

June 30, 2022

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelup  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Lake Water Sample from Swimming  
Beach at the Rope Boundary 20ft out

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

June 29, 2022 @ 9:10 AM

**Delivered Back to Laboratory:**

June 29, 2022 @ 10:25 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	8.5	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	06/29/2022 – 06/30/2022	RLC/JKP

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of **126 E. coli colonies per 100 milliliters** of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---

# WATER SMART TESTING LLC

10510 Research Drive, Suite B  
Rolla, MO 65401  
Phone#: (573)-201-6256  
Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

June 30, 2022

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelup  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Lake Water Sample from Boat Beach  
Corner by Peninsula 20-30ft out

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

June 29, 2022 @ 9:08 AM

**Delivered Back to Laboratory:**

June 29, 2022 @ 10:25 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	7.5	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	06/29/2022 – 06/30/2022	RLC/JKP

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of **126 E. coli colonies per 100 milliliters** of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature

  
\_\_\_\_\_

# WATER SMART TESTING LLC

10510 Research Drive, Suite B  
Rolla, MO 65401  
Phone#: (573)-201-6256  
Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

June 30, 2022

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelup  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Cove 9 – sample from boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

June 29, 2022 @ 9:05 AM

**Delivered Back to Laboratory:**

June 29, 2022 @ 10:25 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	21.1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	06/29/2022 – 06/30/2022	RLC/JKP

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---

# WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

June 30, 2022

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelup  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Cove 7 – by Boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

June 29, 2022 @ 9:00 AM

**Delivered Back to Laboratory:**

June 29, 2022 @ 10:25 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	7.5	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	06/29/2022 – 06/30/2022	RLC/JKP

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---

# WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

June 30, 2022

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelup  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Star Dock by buoy – by boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

June 29, 2022 @ 8:54 AM

**Delivered Back to Laboratory:**

June 29, 2022 @ 10:25 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	4.1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	06/29/2022 – 06/30/2022	RLC/JKP

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of **126 E. coli colonies per 100 milliliters** of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---

# WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

June 30, 2022

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelup  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Spillway by buoys – by boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

June 29, 2022 @ 8:47 AM

**Delivered Back to Laboratory:**

June 29, 2022 @ 10:25 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	<1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	06/29/2022 – 06/30/2022	RLC/JKP

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of **126 E. coli colonies per 100 milliliters** of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



# WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

June 30, 2022

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelup  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Cove 1 out by buoys – by boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

June 29, 2022 @ 9:13 AM

**Delivered Back to Laboratory:**

June 29, 2022 @ 10:25 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	4.1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	06/29/2022 – 06/30/2022	RLC/JKP

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature

