

WATER SMART TESTING LLC  
10510 Research Drive, Suite B  
Rolla, MO 65401  
Phone#: (573)-201-6256  
Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

Indian Hills Subdivision  
Attn: Tom Orelup  
17 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

Client No: WST 223  
Bill Date: August 30, 2023  
Invoice #: 1362

**DUE DATE: Upon receipt**

FOR PROFESSIONAL SERVICES RENDERED: August 30, 2023

DESCRIPTION	UNITS	UNIT COST	AMOUNT
Water Lab Manager Time	3.00	\$75.00	\$225.00
Mileage (Roundtrip)	60.00	\$0.655	\$39.30
<i>E. Coli</i>	7.00	\$50.00	\$350.00
		<b>TOTAL</b>	<b>\$614.30</b>

*THANK YOU*

*TO ENSURE PROPER CREDIT TO YOUR ACCOUNT, PLEASE RETURN  
ONE COPY OF INVOICE WITH PAYMENT*

# WATER SMART TESTING LLC

10510 Research Drive, Suite B  
Rolla, MO 65401  
Phone#: (573)-201-6256  
Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

August 31, 2023

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelap  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Lake Water Sample from Swimming  
Beach at the Rope Boundary 20ft out

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

August 30, 2023 @ 10:22 AM

**Delivered Back to Laboratory:**

August 30, 2023 @ 11:57 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	2.0	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/30/2023 – 08/31/2023	JKP/RLC

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---

# WATER SMART TESTING LLC

10510 Research Drive, Suite B  
Rolla, MO 65401  
Phone#: (573)-201-6256  
Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

August 31, 2023

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelap  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Lake Water Sample from Boat Beach  
Corner by Peninsula 20-30ft out

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

August 30, 2023 @ 10:21 AM

**Delivered Back to Laboratory:**

August 30, 2023 @ 11:57 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	1.0	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/30/2023 – 08/31/2023	JKP/RLC

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---

# WATER SMART TESTING LLC

10510 Research Drive, Suite B  
Rolla, MO 65401  
Phone#: (573)-201-6256  
Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

August 31, 2023

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelap  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Cove 9 – sample from boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

August 30, 2023 @ 10:19 AM

**Delivered Back to Laboratory:**

August 30, 2023 @ 11:57 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	3.1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/30/2023 – 08/31/2023	JKP/RLC

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of **126 E. coli colonies per 100 milliliters** of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---



# WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

August 31, 2023

**Report for:**

WST 223

Indian Hills Owners Association

Attn: Tom Orelap

174 Indian Hills Drive

Cuba, MO 65453

Cell Phone#: (847)-404-2408

Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)

Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Cove 7 – by Boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

August 30, 2023 @ 10:17 AM

**Delivered Back to Laboratory:**

August 30, 2023 @ 11:57 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	2.0	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/30/2023 – 08/31/2023	JKP/RLC

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of **126 E. coli colonies per 100 milliliters** of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---

# WATER SMART TESTING LLC

10510 Research Drive, Suite B  
Rolla, MO 65401  
Phone#: (573)-201-6256  
Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

August 31, 2023

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelap  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Star Dock by buoy – by boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

August 30, 2023 @ 10:15 AM

**Delivered Back to Laboratory:**

August 30, 2023 @ 11:57 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	1.0	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/30/2023 – 08/31/2023	JKP/RLC

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of **126 E. coli colonies per 100 milliliters** of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---

# WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

August 31, 2023

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelap  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Spillway by buoys – by boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

August 30, 2023 @ 10:13 AM

**Delivered Back to Laboratory:**

August 30, 2023 @ 11:57 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	<1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/30/2023 – 08/31/2023	JKP/RLC

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of **126 E. coli colonies per 100 milliliters** of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---

# WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email [rlcarteroutlook@gmail.com](mailto:rlcarteroutlook@gmail.com)

## CERTIFICATE OF ANALYSIS

August 31, 2023

**Report for:**

WST 223  
Indian Hills Owners Association  
Attn: Tom Orelap  
174 Indian Hills Drive  
Cuba, MO 65453  
Cell Phone#: (847)-404-2408  
Email: [indianlake@ilpoa.org](mailto:indianlake@ilpoa.org)  
Email: [bod.mbhuffman@ilpoa.org](mailto:bod.mbhuffman@ilpoa.org)

**Report of:**

Cove 1 out by buoys – by boat

**Parameters requested:**

*E. Coli*

**Sample collected by:**

Rachel Carter – Water Smart Testing

**Sample date:**

August 30, 2023 @ 10:27 AM

**Delivered Back to Laboratory:**

August 30, 2023 @ 11:57 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	4.0	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	08/30/2023 – 08/31/2023	JKP/RLC

\*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of **126 E. coli colonies per 100 milliliters** of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



---