

WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email rlcarteroutlook@gmail.com

CERTIFICATE OF ANALYSIS

May 23, 2024

Report for:

WST 223

Indian Hills Owners Association

Attn: Tom Orelap

174 Indian Hills Drive

Cuba, MO 65453

Cell Phone#: (847)-404-2408

Email: indianlake@ilpoa.org

Email: bod.mbhuffman@ilpoa.org

Report of:

Lake Water Sample from Swimming Beach at the Rope Boundary 20ft out

Parameters requested:

E. Coli

Sample collected by:

Rachel Carter & Iris Guerrero – Water Smart Testing

Sample date:

May 22, 2024 @ 10:21 AM

Delivered Back to Laboratory:

May 22, 2024 @ 11:23 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	28.5	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	05/22/2024 – 05/23/2024	RLC/IG

*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email rlcarteroutlook@gmail.com

CERTIFICATE OF ANALYSIS

May 23, 2024

Report for:

WST 223

Indian Hills Owners Association

Attn: Tom Orelap

174 Indian Hills Drive

Cuba, MO 65453

Cell Phone#: (847)-404-2408

Email: indianlake@ilpoa.org

Email: bod.mbhuffman@ilpoa.org

Report of:

Lake Water Sample from Boat Beach
Corner by Peninsula 20-30ft out

Parameters requested:

E. Coli

Sample collected by:

Rachel Carter & Iris Guerrero – Water Smart Testing

Sample date:

May 22, 2024 @ 10:20 AM

Delivered Back to Laboratory:

May 22, 2024 @ 11:23 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	14.6	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	05/22/2024 – 05/23/2024	RLC/IG

*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email rlcarteroutlook@gmail.com

CERTIFICATE OF ANALYSIS

May 23, 2024

Report for:

WST 223

Indian Hills Owners Association

Attn: Tom Orelap

174 Indian Hills Drive

Cuba, MO 65453

Cell Phone#: (847)-404-2408

Email: indianlake@ilpoa.org

Email: bod.mbhuffman@ilpoa.org

Report of:

Cove 9 – sample from boat

Parameters requested:

E. Coli

Sample collected by:

Rachel Carter & Iris Guerrero – Water Smart Testing

Sample date:

May 22, 2024 @ 10:17 AM

Delivered Back to Laboratory:

May 22, 2024 @ 11:23 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	79.8	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	05/22/2024 – 05/23/2024	RLC/IG

*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email rlcarteroutlook@gmail.com

CERTIFICATE OF ANALYSIS

May 23, 2024

Report for:

WST 223
Indian Hills Owners Association
Attn: Tom Orelap
174 Indian Hills Drive
Cuba, MO 65453
Cell Phone#: (847)-404-2408
Email: indianlake@ilpoa.org
Email: bod.mbhuffman@ilpoa.org

Report of:

Cove 7 – by Boat

Parameters requested:

E. Coli

Sample collected by:

Rachel Carter & Iris Guerrero – Water Smart Testing

Sample date:

May 22, 2024 @ 10:15 AM

Delivered Back to Laboratory:

May 22, 2024 @ 11:23 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	60.5	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	05/22/2024 – 05/23/2024	RLC/IG

*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email rlcarteroutlook@gmail.com

CERTIFICATE OF ANALYSIS

May 23, 2024

Report for:

WST 223
Indian Hills Owners Association
Attn: Tom Orelap
174 Indian Hills Drive
Cuba, MO 65453
Cell Phone#: (847)-404-2408
Email: indianlake@ilpoa.org
Email: bod.mbhuffman@ilpoa.org

Report of:

Star Dock by buoy – by boat

Parameters requested:

E. Coli

Sample collected by:

Rachel Carter & Iris Guerrero – Water Smart Testing

Sample date:

May 22, 2024 @ 10:12 AM

Delivered Back to Laboratory:

May 22, 2024 @ 11:23 AM


<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	6.2	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	05/22/2024 – 05/23/2024	RLC/IG

*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email rlcarteroutlook@gmail.com

CERTIFICATE OF ANALYSIS

May 23, 2024

Report for:

WST 223

Indian Hills Owners Association

Attn: Tom Orelap

174 Indian Hills Drive

Cuba, MO 65453

Cell Phone#: (847)-404-2408

Email: indianlake@ilpoa.org

Email: bod.mbhuffman@ilpoa.org

Report of:

Spillway by buoys – by boat

Parameters requested:

E. Coli

Sample collected by:

Rachel Carter & Iris Guerrero – Water Smart Testing

Sample date:

May 22, 2024 @ 10:10 AM

Delivered Back to Laboratory:

May 22, 2024 @ 11:23 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	7.4	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	05/22/2024 – 05/23/2024	RLC/IG

*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



WATER SMART TESTING LLC

10510 Research Drive, Suite B

Rolla, MO 65401

Phone#: (573)-201-6256

Email rlcarteroutlook@gmail.com

CERTIFICATE OF ANALYSIS

May 23, 2024

Report for:

WST 223

Indian Hills Owners Association

Attn: Tom Orelap

174 Indian Hills Drive

Cuba, MO 65453

Cell Phone#: (847)-404-2408

Email: indianlake@ilpoa.org

Email: bod.mbhuffman@ilpoa.org

Report of:

Cove 1 out by buoys – by boat

Parameters requested:

E. Coli

Sample collected by:

Rachel Carter & Iris Guerrero – Water Smart Testing

Sample date:

May 22, 2024 @ 10:24 AM

Delivered Back to Laboratory:

May 22, 2024 @ 11:23 AM

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method of Analysis</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<i>E. Coli</i>	20.1	MPN	St. Meth. #19 – 9223 B & Quanti-Tray/2000*	05/22/2024 – 05/23/2024	RLC/IG

*Quanti-Tray and Defined Substrate Technology are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. Covered by Patent Numbers 5,518,562; 5,620,895, and 5,753,456. Other Patents pending.

The state water quality standard for water bodies with whole body contact for recreation is a geometric mean of 126 *E. coli* colonies per 100 milliliters of water during the April 1 through October 31 recreation season.

MODNR website for *E. Coli* testing information is: <http://dnr.mo.gov/pubs/pub2401.pdf>

Manager Signature



WATER SMART TESTING

WST 223

Indian Hills

Field Sample Log

May 19-24th

Before July 4th
In August

Date: 5/22/24

Initials: PCC/IG

Location	Time	Temp.	Flow	Weather	Description/ Comments
Swimming Beach - by boat	10:21	63	lake		
SB by Peninsula by boat	10:20	↓	↓	PC	
Cove 9 - by Boat	10:17				
Cove 7 - by Boat	10:15				
Star Dock - by Boat	10:12				
Spillway - by boat	10:10				
Cove 1 - out by Bay by boat	10:08				

Back @ 11:23AM